



## SPC BENCHMARK 1™

### EXECUTIVE SUMMARY

#### FUJITSU LIMITED ETERNUS AF250 S2


<b>SPC-1 IOPS™</b>	<b>360,070</b>
<b>SPC-1 Price-Performance™</b>	<b>\$0.10/SPC-1 IOPS™</b>
SPC-1 IOPS™ Response Time	0.673 ms
SPC-1 Overall Response Time	0.361 ms
SPC-1 ASU Capacity	3,435 GB
SPC-1 ASU Price	\$9.86/GB
SPC-1 Total System Price	\$33,851.38
Data Protection Level	Protected 2 (RAID1)
Physical Storage Capacity	9,600 GB
Pricing Currency / Target Country	U.S. Dollars / USA

**SPC-1 V3.5.0**

**SUBMISSION IDENTIFIER: A32003**

**SUBMITTED FOR REVIEW: NOVEMBER 5, 2017**

### Benchmark Configuration Diagram



## Tested Storage Product Description

The ETERNUS AF250 S2 is the ideal choice for application scenarios with demanding data and performance requirements. The system delivers impressive IOPS performance with lowest latency even at full load. Thus it offers a solution that resolves all performance issues in critical applications – such as real-time business analytics or VDI environments - without requiring any complicated tuning. It also fits best as general purpose storage for all Tier-1 applications in small and mid-sized companies.

## Priced Storage Configuration Components

<b>4 x Emulex LPE16002 dual port 16 Gb Fibre Channel HBAs</b>
<b>1 x AF250 S2, with:</b> <ul style="list-style-type: none"><li><b>2 x Controller Modules (CM) each with:</b><ul style="list-style-type: none"><li><b>32 GB cache (64 GB total)</b></li><li><b>2 x Channel Adapter (CA) with</b><ul style="list-style-type: none"><li><b>2 x 16 Gbps Fibre Channel Host Ports</b></li></ul></li></ul></li><li><b>24 x 400 GB SSD devices (without Hot Spare)</b></li></ul>

## Storage Configuration Pricing


	Description	Qty	Unit Price	Ext. Price	Disc.	Disc. Price
<b>Hardware</b>						
ET252CU	ETERNUS AF250 S2	1	15,575	15,575	45%	8,596.21
ETVHHFA	Host interface for AF250 S2(16Gbit/s, FC, 4port)	2	3,140	6,280	45%	3,466.08
ETVSAF1	Value SSD(2.5inch) 400GB x1 for AF250 S2	24	1,270	30,480	45%	16,822.63
S26361-F4994-L502	PFC EP LPe16002	4	1,418	5,672	45%	3,130.51
ETFKC05U	AC Power Cords(125V - IEC320-C14, 0.5m)	2	80	160	45%	88.31
61-343827-003	Fibre Channel Host IF Cable LC/LC - 3m	8	132	1,056	45%	582.83
<b>Hardware Subtotal</b>						<b>32,686.57</b>
<b>Support &amp; Maintenance</b>						
	Provide 24 hour per day / 7days per week 4 hour response maintenance for 36 months					
ETAF25-W025360-AED	ETERNUS AF250 Warranty, 36 Months, Standard Level, 9x5 Phone Support, NBD Response	1	0	0	20%	0.00
ETAF25-U004361-AED	ETERNUS AF250 Warranty Uplift, 36 Months, Enhanced Plus Level, 24x7 4hr Onsite, Prepaid billing	1	1,456	1,456	20%	1,164.80
<b>Support &amp; Maintenance Subtotal</b>						<b>1,164.80</b>
<b>SPC-1 Total System Price</b>						<b>33,851.38</b>
SPC-1 IOPS™						360,070
<b>SPC-1 Price-Performance™ (\$/SPC-1 IOPS™)</b>						<b>0.10</b>
SPC-1 ASU Capacity (GB)						3,435
<b>SPC-1 ASU Price (\$/GB)</b>						<b>9.86</b>

**Discount Details:** The discounts shown are based on the storage capacity purchased and are generally available.

**Warranty:** The 3-year maintenance and support included in the above pricing meets or exceeds a 24x7 coverage with a 4-hour response time.

**Availability Date:** January 23, 2018.

### Response Time and Throughput Graph



Contact Information	
<b>Test Sponsor Primary Contact</b>	<a href="http://www.fujitsu.com/services/computing/storage">Fujitsu Limited</a> – http://www.fujitsu.com/services/computing/storage Kun Katsumata – kkatsumata@us.fujitsu.com
<b>SPC Auditor</b>	InfoSizing – <a href="http://www.sizing.com">www.sizing.com</a> Doug Johnson – doug@sizing.com

Revision Information	
<b>SPC Benchmark 1™ Revision</b>	V3.5.0
<b>SPC-1 Workload Generator Revision</b>	v 03.00.2551
<b>Publication Revision History</b>	Initial Publication